

Emergence of T-Rays: Design of Low-loss Waveguides and Devices

B.M.A. Rahman¹, C. Themistos², H. Tanvir¹, M. Uthman¹, A. Quadir¹ and C. Markides²

¹City University London Northampton Square, London EC1V 0HB, UK

²Frederick University, Cyprus

Tel: +44-2070408123; Fax: +44207; E-mail: b.m.a.rahman@city.ac.uk

Abstract - A rigorous full-vectorial modal solution approach based on the finite element method is used to find the propagation properties of THz waveguides. Design approaches are presented to reduce the modal loss. Design of several THz devices, including quantum cascade lasers, power splitters and narrow-band filters are also presented.

Index Terms – finite element, terahertz waves.

I. INTRODUCTION

The terahertz (THz) region occupies a large portion of the electromagnetic spectrum, located between the microwave and optical frequencies and normally is defined as the band ranging from 0.1 to 10 THz. In recent years, this intermediate THz radiation band has attracted considerable interest, because it offers significant scientific and technological potential for applications in many fields, such as sensing [1], imaging [2] and spectroscopy [3]. However, waveguiding in this intermediate spectral region is a major challenge and strong dielectric and conductive losses in the terahertz frequency range have been a major problem for waveguiding. The conventional guiding structures exemplified by microstrips, coplanar striplines and coplanar waveguides are highly lossy and dispersive. However, so far the most promising dielectric waveguides have been the use of photonic crystal fibers at terahertz frequencies [4, 5] and metal coated guides [6] at terahertz frequencies. In this paper, various types of practical dielectric and metal coated waveguides are evaluated and design optimization of Quantum Cascade Lasers, MMI-based power splitters and narrow-band filters are

presented, by using full-vectorial finite element method [7].

II. PHOTONIC CRYSTAL FIBRES: THz WAVEGUIDES

Dielectric waveguides in silica, silicon, polymer, and other semiconductors materials have been widely used at optical frequencies: however most of these materials are very lossy at the lower terahertz frequency range. As the material loss of silica is prohibitively high at THz frequencies, only recently, Han *et al.* [4] have fabricated a PCF for THz using high-density polyethylene (HDPE) with modal loss values of 0.2 cm^{-1} and Goto *et al.* [5] have reported a PCF-like waveguide using Teflon tubes and filaments with loss values of 0.5 cm^{-1} , showing their potential. A typical PCF consists of an array of periodic air-holes with diameter, d , running along the waveguide with the pitch length between the two nearest holes is Λ . In this work, a refractive index value $n_g = 1.444$ is considered, at the operating frequency 1.2 THz. The modal loss of a guided mode in a PCF is due to the combination of the material loss and the leakage loss. The leakage loss arises due to the modal index being lower than the surrounding high index cladding regions. For this study a PCF with parameter $d/\Lambda=0.5$ is used. To consider the effect of the loss tangent, three different values of the n_i , (the imaginary part) have been considered. Figure 1 shows the loss mechanism in a PCF. In the absence of any material loss, for $n_i = 0$, the leakage loss is shown by a solid line. It can be observed that as the pitch length is reduced, the leakage loss increases almost linearly from a very low loss value. In the case of $n_i = 0.00119$, the total loss included both

the leakage loss and the material loss, which is shown by a dashed line. At a higher pitch value, when the leakage loss is negligible, the total loss is mainly attributable to the material loss.




Fig.1 Material and leakage losses of PCF

Since at present the available dielectric materials at THz frequencies are considerable lossy, a novel design approach is considered next, where a porous core PCF is considered. As the waveguides dimensions for THz frequency are considerable bigger than that for the optical wavelength, it would be relatively easy to fabricate such microstructured core. Two different d/Λ values are used for core (d/Λ_i) and cladding (d/Λ_o), and for cladding this value has to be smaller to have higher equivalent index in the core for wave guidance. Variation of the power fraction in the air-region of the porous core is shown in Fig.2. As shown in this figure, the power confinement can be increased to 35% in the low-loss air-holes of the cores, and additionally another 25% in the cladding air-holes [8], but this is not shown here.

Amongst the various THz waveguides that have been suggested, the metal-clad waveguides supporting surface plasmon modes show the greatest promise as low-loss waveguides for use both in active components and as passive waveguides. Several waveguide structures incorporating metallic layers have been reported, such as low-loss and flexible hollow polycarbonate waveguide with copper and

dielectric inner coatings, deposited by using a liquid chemistry approach [9].




Fig.2 Variation of power confinement in the porous air-holes in the core region with the pitch length, Λ




Fig.3 Attenuation constant with the polystyrene thickness, p , for $t=0.4\mu\text{m}$

A metal-coated hollow glass waveguide (HGW) [10] with an inner silver/polystyrene-coating is considered. For this waveguide the thickness of the silica tube (s) is taken as 0.5 mm and the bore radius (a) of the HGW as 2 mm. The thickness of the silver cladding (t) and polystyrene layer (p) are taken as $t\ \mu\text{m}$ and $p\ \mu\text{m}$, respectively. The complex refractive index of the polystyrene, the silver metal cladding layers and the silica ring are taken as $n_p=1.58-j0.0036$, $n_m=308-j532$ and $n_s=1.96-j0.0061$, respectively at an operating frequency of 2.5 THz. At this frequency, as the

air is also not absolutely loss-free, to represent this loss factor its complex refractive index is taken as $1.0 - j 1.1 \times 10^{-6}$.

There are two metal/dielectric interfaces, which can support surface plasmon modes (SPM), one the outer silver/silica boundary and the other at the inner silver/polystyrene (or air, when $p = 0 \mu\text{m}$) boundary. This waveguide supports two SPMs along these two metal/dielectric interfaces. The refractive indices of the inner and outer cladding materials being very different, the two SPMs have widely different propagation constants and they do not interact with each other. However, at the right and left hand sides of the metal/dielectric interfaces, when the same electric-wall boundary condition is imposed, the H_x field is forced to be zero at the metal boundary and no SPM exists. Another mode with the dominant H_y field, would form a similar SPM; however, at the left and the right interfaces. The H_y field profile of this mode is similar to the H_x field profile, but rotated by 90 degrees. These two modes have identical propagation constants and being degenerate, they can be superimposed to form radially polarized RP-like modes.




Fig.4 Effective index and loss with Teflon thickness for the H^x_{10} mode

The loss values of the fundamental plasmonic mode increases with the PS thickness and not shown here. The attenuation characteristics of the RP⁰² mode, with the variation of the polystyrene thickness, for a silver thickness $t = 0.4 \mu\text{m}$, is shown in Fig. 3, where the loss contribution of

the polystyrene and silver layers has also been examined. As can be seen from the above characteristics, the total attenuation shows a maximum and a minimum loss at a polystyrene thickness of about $1 \mu\text{m}$ and $13 \mu\text{m}$, respectively. The attenuation curves due to the polystyrene and the silver layer exhibit similar trend with the total attenuation. Throughout the range of polystyrene thicknesses examined, the optical power confinement in the inner air-core is of the order of 99.9%, thus contributing a constant attenuation of about 0.25 dB/m. For a polystyrene thickness lower than $5 \mu\text{m}$, the total attenuation is affected mainly due to the metal attenuation but as the polystyrene thickness increases above $5 \mu\text{m}$ the total attenuation is mainly governed by the loss in the polystyrene layer. This mode shows a greater promise to achieve low-loss guidance through a metal clad dielectric waveguides. It would also be easier to couple this mode since the field profile is also very close to a Gaussian shape [10]. The modal loss of this waveguide, when design is optimized, is significantly lower than most of the THz waveguides reported so far, as most of the power is being guided in the central air-hole region.




Fig.5 Field profile of E_y mode in a THz Quantum Cascade Laser. The field inside the confinement layers is shown on the inset.

Next this novel approach is considered to design and optimize a low-loss rectangular core metal waveguide. If we consider its height and widths are different then the polarized modes will not be

degenerate. In our more recent work [11], we have shown that similarly a polarization maintaining rectangular core air-core dielectric-clad metal-coated waveguide can also be less lossy. A thin metal coating would support plasmonic modes, but these are relatively lossy. However, a Teflon coating on the gold layer can draw field away from the lossy conducting layer and loss may reduce considerably. Figure 4 shows the variation of the loss value with the Teflon thickness for the H_{12}^x mode in an air-core 1mm x 0.6 mm rectangular waveguide with 0.7 μm gold coating at 2.5 THz. It can be seen that at the optimum 21 μm Teflon thickness, the loss value can be 3.5 dB/m, one of the lowest reported so far [11]. The evolution of third order mode for no Teflon coating to a near Gaussian profile for 18 μm Teflon coating are shown as insets.




Fig.6 Gain Threshold of the lower order modes for different waveguides

Quantum cascading lasers [12] are emerging as efficient high power THz source for many important applications, such as imaging and sensing. However, for the THz frequency, it is not possible to grow the semiconductor materials comparable to the operating wavelength. For this reason, for THz QCL often smaller height needs to be considered and plasmonic confinement is used in that direction. The plasmonic confinement in the vertical direction is shown in

Fig.5, which clearly shows the mode formation at the metal-dielectric interfaces. However, it is easily possible to have a wider guide, so mostly dielectric confinement is used in horizontal direction. The gain threshold for such QCL is shown in Fig.8. Because of the wider guides, the gain threshold difference between the fundamental and higher order (lateral) modes are very small. This allows possibility of mode hopping for any external changes. A novel design approach is considered [13] using slotted upper metal clad, to enhance the gain threshold of the higher order modes. Fig. 6 clearly shows that gain threshold of the higher order modes are increased for slotted-electrode designs. For the future THz system, it is essential to design various integrated guided-wave components. In that spirit, it is shown here that a compact power splitter can be designed by using the MMI principle. In Fig. 7, it is shown here that an efficient power splitter can be designed by using a 35 μm long multimoded section [14].




Fig.7 FDTD Simulation of the MMI 3dB coupler

Finally, a Terahertz frequency range band-stop filter for molecular sensing [15], where two 5 μm wide band-stop filter stubs with a length of 192 μm and 83 μm are placed at a 400 μm apart along the direction of propagation, as shown in the right inset of Fig.8, has been considered. Initially the above device has been simulated without a polystyrene film on top of the metal layer, using the FDTD approach and the variation of the insertion loss with the frequency is presented in

Fig.8. As can be seen from the above frequency response, the device exhibits two resonant frequencies due to the stubs at about 600 and 800 GHz, with a minimum insertion loss of about -55 and -30 dB.




Fig.8 Insertion Loss with frequency for the microstrip filter

III. CONCLUSION

A finite-element approach, based on a full-vectorial \mathbf{H} -field formulation, has been used to study the detailed modal properties of dielectric and metal clad waveguides operating in the THz frequency range. It is also shown here that by using porous core the effect of material loss can be reduced significantly. It is also shown by using a thin but optimized dielectric over-layer plasmonic loss in a hollow-core waveguide can also be reduced. It is also shown here that by using a novel slot-type electrode, the differential loss of the higher order modes can be significantly increased to reduce mode hopping. Finally, simple guided-wave devices such as power splitters and band-pass filters are also presented here. The design approach used here can be extended to optimize not only THz waveguides but also more advanced guided-wave devices for future THz integrated circuits (TIC).

REFERENCES

- [1] R. H. Jacobsen, *et al.*, "Chemical recognition of gases and gas mixtures with terahertz waves," *Optics Lett.*, **21**, no.24, pp. 2011-2013, 1996.
- [2] Q. Chen, *et al.*, "Near-field terahertz imaging with a dynamic aperture," *Optics Lett.*, **25**, no.15, pp.1122-1124, 2000.
- [3] J. Q. Zhang and D. Grischkowsky, "Waveguide terahertz time-domain spectroscopy of nanometer water layers," *Optics Lett.*, **29**, no.14, pp.1617-1619, 2004.
- [4] H. Han, H. Park, M. Cho, and J. Kim, "Terahertz pulse propagation in plastic photonic crystal fiber," *Appl. Phys. Lett.*, **80**, no.15, pp.2634-2636, 2002.
- [5] M. Goto, *et al.*, "Teflon photonic crystal fiber as terahertz waveguide," *Jpn. J. Appl. Phys, Part 2* **43**, L317-L319, 2004.
- [6] R. W. McGowan, *et al.*, "Propagation of ultrawideband short pulses of Terahertz radiation through submillimeter diameter circular waveguides," *Opt. Lett.*, vol. **24**, no. 20, pp. 1431-1435, Oct 1999.
- [7] B. M. A. Rahman and J. B. Davies, "Finite-element analysis of optical and microwave waveguide problems," *Trans. Microwave Theory Tech, MTT-32*, no.1, pp.20-28, 1984.
- [8] M Uthman *et al.*, Design and characterization of low-loss porous-core photonic crystal fiber, *IEEE Photonics J*, vol. 4, no. 6, pp.2314-2325, Dec 2012.
- [9] J. A. Harrington, *et al.*, "Hollow polycarbonate waveguides with inner Cu coatings for delivery of terahertz radiation," *Opt Express*, vol. **12**, no.21, pp. 5263-5268, Oct. 2004.
- [10] C. Themistos, *et al.*, "Characterization of Silver/Polystyrene (PS)-coated hollow glass waveguides at terahertz frequency," *J. Lightwave Technol.*, vol. **25**, no. 9, September 2007.
- [11] B.M.A. Rahman, A. Quadir, H. Tanvir and K.T.V. Grattan, "Characterization of Plasmonic Modes in a Low-Loss Dielectric-Coated Hollow Core Rectangular Waveguide at Terahertz Frequency," *IEEE Photonics Journal*, vol.3, pp.1054-1066, 2011.
- [12] J. Faist, *et al.*, "Quantum cascade laser," *Science*, vol. **264**, pp. 553-556, 1994.
- [13] H. Tanvir, B.M.A. Rahman and K.T.V. Grattan, "Impact of "Ghost" Mode Interaction in Terahertz Quantum Cascade Lasers," *IEEE Photonics Journal*, vol.3, pp.926-935, 2011
- [14] C. Markides, *et al.*, "Multimode Interference 3dB splitters in hollow core metallic waveguides for low loss THz wave transmission", *IEEE J. Selected Topics in Quantum Electron.* Vol. 19, ID 8500606, Jan. 2013.
- [15] J. Cunningham, C. Wood, A. G. Davies, I. Hunter, E. H. Linfield, and H. E. Beere, "Terahertz frequency range band-stop filters," *Applied Physics Letters*, vol.86,p.213503,2005